



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"event condition action" and "containers"

- 1999

[Ad](#)
[Sc](#)
[Sc](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 56 for "**event condition action**" and "**containers**"

All Results

[P Bernstein](#)

[E Baralis](#)

[S Ceri](#)

[S Paraboschi](#)

[M Marazakis](#)

[ECA rule processing in distributed and heterogeneous environments - group of 3 »](#)

S Chakravarthy, R Le, R Dasari - Distributed Objects and Applications, 1999. Proceedings of ... , 1999 - [ieeexplore.ieee.org](#)

... Providing active capability (**Event — Condition — Action** or ECA rules) to these applications ... The **containers** of events, conditions and actions are orthogonal ...

Cited by 22 - [Related Articles](#) - [Web Search](#)

[Repositories and object oriented databases - group of 15 »](#)

PA Bernstein - ACM SIGMOD Record, 1998 - [portal.acm.org](#)

... definition contains a column definition), then deleting a **container** object should ... are essentially triggers in a SQL database or **event-condition-action** rules in ...

Cited by 50 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Rule-based query optimization, revisited - group of 5 »](#)

LB Warshaw, DP Miranker - Proceedings of the eighth international conference on ... , 1999 - [portal.acm.org](#)

... refinements concerning the more focused execution behavior of **event, condition, action** (ECA) rules ... meanings of the OpenLis t and the Clos- edLis t **containers**). ...

Cited by 14 - [Related Articles](#) - [Web Search](#)

[Modularization techniques for active rules design - group of 4 »](#)

E Baralis, S Ceri, S Paraboschi - ACM Transactions on Database Systems (TODS), 1996 - [portal.acm.org](#)

... The analysis technique in Karadimce and Urban [1994] is based on the reduction of **event-condition-action** rules to term rewriting systems. Then, ...

Cited by 46 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PS\] One-to-One Personalization of Data-Intensive Web Sites - group of 3 »](#)

S Ceri, P Fraternali, A Maurino, S Paraboschi - WebDB (Informal Proceedings), 1999 - [www-rocq.inria.fr](#)

... we believe that it should follow the ECA (**event-condition-action**) paradigm: on ... may also be required to assemble sets of objects into special **containers**, called ...

Cited by 13 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PS\] DeeDS: A distributed active real-time database system](#)

S Andler, M Berndtsson, B Efring, J Eriksson, J ... - University of Skovde, Sweden, Tech. Rep. HS-IDA-TR-95-008, 1995 - [ida.his.se](#)

... Most approaches adopt the notion of **event-condition-action** rules (ECA) proposed in ... OBST stores objects by unique identifiers in **containers** that are the unit of ...

Cited by 9 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Herbal-T, enabling integration, interoperability, and reusability of Internet components](#)

I Hilerio, W Chen - Proceedings of the international joint conference on Work ... , 1999 -

portal.acm.org

... models can not be shared between different **container** environment, Applets ... create a reactive intelligent framework that supports **Event-Condition-Action** rules P41 ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Consistency management for complex applications - group of 9 »

P Tarr, LA Clarke - Software Engineering, 1998. Proceedings of the 1998 (20th) ..., 1998 - [ieeexplore.ieee.org](#)

Page 1. Consistency Management for Complex Applications Peri Tarr Lori A. Clarke
IBM TJ Watson Research Center PO Box 704 Yorktown Heights, NY 10598 ...

[Cited by 14](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

[PS] Synthesis of Services in Open Commerce Environments - group of 2 »

C Nikolaou, M Marazakis, D Papadakis - Proc. Special Track on Electronic Commerce on the Internet, ..., 1998 - [srdc.metu.edu.tr](#)

... of the Aurora architecture is that the network of **containers** involved in ... specifications expressed using the HERMES language in the form of **Event-Condition-Action** ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PS] Monitoring Network Logs for Anomalous Activity - group of 3 »

L Warshaw, SP Matzner, DP Miranker, L Obermeyer, D ... - Applied Research Laboratories at the University of Texas at ..., 1998 - [gta.ufrj.br](#)

... The rules in our system are the familiar **Event-Condition-Action** (ECA) rules. ... way of the AML as described by Obermeyer and Miranker [9]. A **container** instance of ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Go o o o o o o o g l e ►

Result Page: 1 2 3 4 5 6 **Next**

"event condition action" and "contair"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☐ The ACM Digital Library ☒ The Guide**THE GUIDE TO COMPUTING LITERATURE**[Feedback](#) [Report a problem](#) [Satisfaction survey](#)**Herbal-T, enabling integration, interoperability, and reusability of Internet components**

Full text Pdf (1.57 MB)

Source **ACM SIGSOFT Software Engineering Notes** [archive](#)Volume 24, Issue 2 (March 1999) [table of contents](#)

Pages: 49 - 58

Year of Publication: 1999

ISBN:1-58113-070-8

[Also published in ...](#)Authors [Israel Hilerio](#) i2 Technologies, 909 E. Las Colinas Blvd., Irving, TX
[Weidong Chen](#) Computer Science Department, Southern Methodist University, P.O. Box 750122, Dallas, TX

Publisher ACM Press New York, NY, USA

Additional Information: [abstract](#) [references](#) [index terms](#) [collaborative colleagues](#) [peer to peer](#)Tools and Actions: [Find similar Articles](#) [Review this Article](#)
[Save this Article to a Binder](#) Display Formats: [BibTex](#) [EndNote](#) [ACM Ref](#)DOI Bookmark: Use this link to bookmark this Article: <http://doi.acm.org/10.1145/295666.295672>
[What is a DOI?](#)↑ **ABSTRACT**

Herbal-T introduces an architecture where Internet component integration, interoperability, and component instantiation are the base for information flow coordination. This architecture introduces a framework for combining object functionality across the Internet to create new Internet applications. These new applications are defined in terms of active relationships. The concept of active relations as found in active databases is extended to define a new paradigm for creating Internet applications. In addition, Internet component interoperability is achieved using Applets, Java Applications, CORBA and RMI. This paper presents how the Herbal-T architecture support extends active relations to create an integration, interoperability, and reusability framework.

↑ **REFERENCES**

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

- 1 Bemer, L., Connolly, D. Hypertext markup language- 2.0. {On-line}. Available: [http://www.cis.ohiostate.edu/htbin/rfc/Irfc 1866&t](http://www.cis.ohiostate.edu/htbin/rfc/Irfc%201866&t)
- 2 Bosak, J. XML, java, and the future of the web {Oninfo/standards/xml/why/xmlapps.htm}
- 3 [Ivan Bratko, Prolog \(3rd ed.\): programming for artificial intelligence, Addison-Wesley Longman Publishing Co., Inc., Boston, MA, 2000](#)

- 4 David Chappell, Understanding ActiveX and OLE: a guide for developers and managers, Microsoft Press, Redmond, WA, 1996
- 5 Elliott Rusty Harold, Java network programming, O'Reilly & Associates, Inc., Sebastopol, CA, 1997
- 6 Warren Ernst, John J. Kottler, Presenting Active X, Sams.Net Publishing, 1996
- 7 Danny Goodman, Javascript Bible, IDG Books Worldwide, Inc., Foster City, CA, 1996
- 8 Hilerio, I. Herbal-t internet desktop. {On-line}. WebNet 97. Available: <http://aace.virginia.edu/aace/conf7webnet/proc97.html>
- 9 Hemang Lavana, Amit Khetawat, Franc Brglez, Internet-based workflows: a paradigm for dynamically reconfigurable desktop environments, Proceedings of the international ACM SIGGROUP conference on Supporting group work: the integration challenge, p.204-213, November 16-19, 1997, Phoenix, Arizona, United States
- 10 Lemay, L. & Moncur, M. Add interactivity to your pages with javascript. Indianapolis: Sams.net Publishing. 1996.
- 11 Microsoft Corp. What is a&vex. {On-line}. Available: <http://www.microsoft.com/isp/activex-onepager.htm>
- 12 Robert Orfali, Dan Harkey, Client/server programming with Java and CORBA, John Wiley & Sons, Inc., New York, NY, 1997
- 13 Norman W. Paton, Jack Campin, Alvaro A. A. Fernandes, M. Howard Williams, Formal Specification of Active Database Functionality: A Survey, Proceedings of the Second International Workshop on Rules in Database Systems, p.21-37, September 25-27, 1995
- 14 Paton, N.W., Diaz, O. Active database systems {On<http://www.cs.man.ac.uk/users/norm/papers/surveys.ps>}
- 15 Paton, N.W., Diaz, O., Williams, M.H., Campin, J., Dinn, A., Jaime, A. Dimensions of active behaviors. (1993), Rules in Database Systems, 40-57.
- 16 Rees, L. C. Toward context-centric computing {Onhttp://www.geocities.com/SiliconValley/Peaks/5957/lc_ontext.html}
- 17 Software Engineering Institute CMU. Distributed object technology with CORBA and java: Key concepts and implications {On-line}. Available: <http://www.sei.cmu.edu/publications/documents/97.reports/97tr004abstract.html>
- 18 Sun Microsystems Inc. Java beans: Infobus {On-line}. Available: <http://java.sun.com/beans/infobus>
- 19 Williamson, Habraken. Internet explorer 4. Indiana: QUE. 1997.

↑ INDEX TERMS

Primary Classification:

D. Software

- ↳ **D.2 SOFTWARE ENGINEERING**
 - ↳ **D.2.12 Interoperability**
 - ↳ **Subjects:** Distributed objects

Additional Classification:

- C. Computer Systems Organization**
 - ↳ **C.2 COMPUTER-COMMUNICATION NETWORKS**
 - ↳ **C.2.5 Local and Wide-Area Networks**
 - ↳ **Subjects:** Internet (e.g., TCP/IP)

D. Software

- ↳ **D.2 SOFTWARE ENGINEERING**

H. Information Systems

- ↳ **H.2 DATABASE MANAGEMENT**
- ↳ **H.3 INFORMATION STORAGE AND RETRIEVAL**
 - ↳ **H.3.5 On-line Information Services**
 - ↳ **Subjects:** Web-based services
- ↳ **H.5 INFORMATION INTERFACES AND PRESENTATION (I.7)**
 - ↳ **H.5.3 Group and Organization Interfaces**
 - ↳ **Subjects:** Web-based interaction

General Terms:

Design, Management, Performance, Theory

Keywords:

Herbal-T, Internet components, active relations, distributed relations, integration

↑ **Collaborative Colleagues:**

Weidong Chen: Israel Hilerio
Israel Hilerio: Weidong Chen

↑ **Peer to Peer - Readers of this Article have also read:**

- Inferring constraints from multiple snapshots **ACM Transactions on Graphics (TOG)** 12, 4
David Kurlander , Steven Feiner
- Data structures for quadtree approximation and compression **Communications of the ACM** 28, 9
Hanan Samet
- A hierarchical single-key-lock access control using the Chinese remainder theorem **Proceedings of the 1992 ACM/SIGAPP Symposium on Applied computing**
Kim S. Lee , Huizhu Lu , D. D. Fisher
- Putting innovation to work: adoption strategies for multimedia communication systems **Communications of the ACM** 34, 12

Ellen Francik , Susan Ehrlich Rudman , Donna Cooper , Stephen Levine

- The GemStone object database management system **Communications of the ACM** 34, 10
Paul Butterworth , Allen Otis , Jacob Stein

↑ **This Article has also been published in:**

- International Conference on Work activities Coordination and Collaboration
Proceedings of the international joint conference on Work activities coordination and collaboration
1999 , San Francisco, California, United States

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"event condition action" and "condition" and "p" - 1999

[Search](#)

[Ad](#)
[Sc](#)
[Sc](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 69 for **"event condition action" and "condition**

All Results

[B Grosf](#)

[C Zaniolo](#)

[Y Labrou](#)

[D Wodtke](#)

[D Kinny](#)

[book](#) [A declarative approach to business rules in contracts: courteous logic programs in XML - group of 27 »](#)

BN Grosf, Y Labrou, HY Chan - 1999 - ACM Press New York, NY, USA

... to SQL views, is **event-condition-action** rules / "active ... A sixth approach for representing **business** rules is ... 3 version of first-order **predicate** calculus (ie ...

[Cited by 162](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[Beyond the black box: event-based inter-process communication inprocess support systems - group of 13 »](#)

C Hagen, G Alonso - Distributed Computing Systems, 1999. Proceedings. 19th IEEE ..., 1999 - [ieeexplore.ieee.org](#)

... oc- curred, and forms the basis for the **integration** of events ... with two new elements, an event **condition** C Ev , which can be an arbitrary **predicate** over the ...

[Cited by 46](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[The TriGS active object-oriented database system—an overview - group of 11 »](#)

G Kappel, W Retschitzegger - ACM SIGMOD Record, 1998 - [portal.acm.org](#)

... a **predicate** over the event's parameters, may be ... of a rule realizing some **business** policy again and ... of rules, predefining certain **event/condition/action**-pairs. ...

[Cited by 42](#) - [Related Articles](#) - [Web Search](#)

[\[P\] One-to-One Personalization of Data-Intensive Web Sites - group of 3 »](#)

S Ceri, P Fraternali, A Maurino, S Paraboschi - WebDB (Informal Proceedings), 1999 - [www-rocq.inria.fr](#)

... **condition-action** paradigm: they are triggered by a given ... EVENT

eventType="SessionStart"/>

<**CONDITION predicate**="User.LastLogin ... of using **business** rules instead ...

[Cited by 13](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Modelling and design of multi-agent systems - group of 13 »](#)

D Kinny, M Georgeff - Intelligent Agents III: Proceedings of the Third ..., 1996 - [ajcastro.com](#)

... For example, a goal of determination applied to an evaluable **predicate** will always succeed immediately. ... event **condition**] ? h event **condition**] / action ? uh ...

[Cited by 125](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[book](#) [Advanced Database Systems - group of 2 »](#)

C Zaniolo - 1997 - [books.google.com](#)

... 49 3.4 Workflow Management 51 3.5 **Business** Rules 52 3.5. ... 53 3.5.3 **Business** Rules for the EMS Case Study 54 3.6 Bibliographic Notes 59 3.7 Exercises 60 ...

[Cited by 187](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[The Mentor Project: Steps Towards Enterprise-Wide Workflow Management - group of 9 »](#)

D Wodtke, J Weissenfels, G Weikum, AK Dittrich - Proceedings of the Twelfth International

Conference on Data ..., 1926 - doi.ieeecomputersociety.org
... machine with transitions driven by **Event-Condition-Action** rules (ECA ... IN(<state>)
is a standard **predicate** provided by the ... that is, both know that **condition C** is ...
[Cited by 114](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[book\]](#) **Business Suitability Principles for Workflow Modelling** - group of 3 »
AP Barros - 1996 - cs.kun.nl
... In fact, **event-condition-action** (ECA) paradigm for rule-based ... Classical Petri nets,
Condition/Event-nets and Place ... Petri nets such as **Predicate/Transition** nets ...
[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[\[ps\]](#) **Enterprise-wide workflow management based on state and activity charts**
- group of 3 »
P Muth, D Wodtke, J Weissenfels, G Weikum, A Kotz- ... - Workflow Management Systems
and Interoperability, 1998 - mpi-sb.mpg.de
... and transitions driven by **Event-Condition-Action** rules (ECA ... be interpreted as
predicate
symbols of a ... contradicting or incomplete **conditions**, manual interaction ...
[Cited by 37](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

Customizable Service Integration in Web-Enabled Environments - group of 3
»
K Kontogiannis, R Gregory - Lecture Notes in Computer Science LNCS, 1999 - Springer
... language used for modeling the **Event-Condition-Action** (ECA) rules. ... of an ECA rule
is the **condition** clause, which ... A **predicate** corre- sponds to either a service ...
[Related Articles](#) - [Web Search](#)

Go o o o o o o o o g l e ►
Result Page: 1 2 3 4 5 6 7 **Next**

"event condition action" and "conditi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"event condition action" and "condition" and "p" - 1999

[Ad](#)
[Sc](#)
[Sc](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results **11 - 20** of about **68** for "event condition action" and "conditio"

All Results

[B Grosf](#)

[C Zaniolo](#)

[Y Labrou](#)

[D Wodtke](#)

[D Kinny](#)

[Designing databases using the activity paradigm - group of 4 »](#)

Y Amghar, M Meziane - Third International Workshop of the Moscow ACM SIGMOD ..., 1996
- cdserv4.inria.fr

... for the specification of the application behavior according to **Event-Condition-Action** mecha- nism ... An elementary **condition** is either a **predicate** or a ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Event Management for Large-Scale Distributed Systems - group of 2 »](#)

J Warne - Architecture Report: APM, 1995 - ansa.co.uk

... system events in order to evaluate some System State **Predicate** (SSP ... the model underlying

the framework: an extension of the **Event-Condition-Action** (ECA) model ...

[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[TEMPORALLY ACTIVE DATABASES:= ACTIVE DATABASES+ TIME - group of 4 »](#)

A Tuzhilin - 1991 - dspace.nyu.edu

... Action-Event-Condition- Action (AECA) model. ... P is a temporal **predicate**, then we consider the following set of basic temporal actions: ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[CORBA-Based Run-Time Architectures for Workflow Management Systems - group of 8 »](#)

JA Miller, AP Sheth, KJ Kochut, X Wang - Journal of Database Management, 1996 - pbf5www.uni-paderborn.de

... Each **predicate** is either a task-state vector or a Boolean expression. ... task_2, state_2 && **condition** ... This is similar to an **Event-Condition-Action** ECA rule C ...

[Cited by 98](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[A Mediator for Approximate Consistency: Supporting "Good Enough"](#)

[Materialized Views - group of 6 »](#)

L Seligman, L Kerschberg - Journal of Intelligent Information Systems, 1997 - Springer

... views, mediators, intelligent **integration** of information ... for new Track instances meeting the **predicate**. ... those which support **Event- Condition-Action** (ECA) rules ...

[Cited by 18](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[RBE: a rule-by-example active database system - group of 4 »](#)

YI Chang, FL Chen - Software - Practice and Experience, 1997 - doi.wiley.com

... types and rule types, and **business** data types ... field ::= field name action **condition** ::= f restriction ... any atom >> /* disjunctions */ j **predicate** atomic value ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PS\] Multiagent workflow management - group of 4 »](#)

F Wan, K Rustogi, J Xing, MP Singh - IJCAI Workshop on Intelligent Workflow and Process ..., 1999 - csc.ncsu.edu

... **Event Condition Action** ... The **condition** p may involve relevant **predicate**. ... (This test is essential for the first execution.) Two, the connector **condition** is not ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Towards the construction of workflow-suitable conceptual modelling techniques - group of 3 »](#)

AP Barros, AHM ter Hofstede - Information Systems Journal, 1998 - Blackwell Synergy
... rules, prolific also in **event+condition+action** (ECA) rule ... a sufficient cognition of **business** transactions, the ... Petri nets such as **Predicate/** Transition nets ...

[Cited by 17](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Flexible transaction framework for dependable workflows - group of 2 »](#)

JP Warne - ANSA Report, 1995 - [ansa.co.uk](#)

... state transitions 16 4.4 Histories and **conditions** on event ... the needs of an organisation and its **business**. • **Integration** of workflow facilities in multi-media ...

[Cited by 7](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Extending temporal logic to support high-level simulations - group of 5 »](#)

A Tuzhilin - ACM Transactions on Modeling and Computer Simulation (TOMACS ...), 1995 - [portal.acm.org](#)

... Systems Department, Stern School of **Business**, New York ... also based on the **Event-Condition-Action** model of ... **Condition**-Activity structure (described in Section ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [Next](#)

"event condition action" and "condition"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"event condition action" and "condition" and "p" - 1999

[Search](#)

[Ad](#)
[Sc](#)
[Sc](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results **21 - 30** of about **68** for **"event condition action" and "conditio**

All Results

[B Grosz](#)

[C Zaniolo](#)

[Y Labrou](#)

[D Wodtke](#)

[D Kinny](#)

[Managing Overlapping Transactional Workflows - group of 4 »](#)

J Puustjarvi, H Tirri, J Veijalainen - Proceedings of the 8th International Conference on Advances ... 1996 - cs.helsinki.fi

... 4.1 **Event/Condition/Action** rules and markers ... ECA rules with the related marker **conditions** are denied at ... similar to, but more general than **predicate** locking [10 ...

Cited by 4 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[Support environment for active rule design - group of 3 »](#)

E Baralis, S Ceri, P Fraternali, S Paraboschi - Journal of Intelligent Information Systems, 1996 - Springer

... indicate by means of explicit **event-condition-action** specifications how ... 6 shows the result of **condition**-based analysis ... expressed by the meta-**predicate** old, as ...

Cited by 9 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Autonomous objects: A natural model for complex applications - group of 11 »](#)

A Kemper, PC Lockemann, G Moerkotte, HD Walter - Journal of Intelligent Information Systems, 1994 - Springer

... today still prevailing--applications of **business** and administration ... trigger concept and the **event-condition-action** rules ... the events and **conditions** are specified ...

Cited by 12 - [Related Articles](#) - [Web Search](#)

[Rule Patterns for Designing Active Object-Oriented Database Applications - group of 4 »](#)

G Kappel, S Rausch-Schott, W Retschitzegger - Institute for Computer Science, Dep. of Information Systems, ... 1995 - ifs.uni-linz.ac.at

... this knowledge is generally based on **Event/Condition/Action** rules (ECA ... each event, a guard, ie, a **predicate** over the ... The **condition** part of a rule is specified ...

Cited by 9 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Compile-time and runtime analysis of active behaviors - group of 12 »](#)

E Baralis, S Ceri, S Paraboschi - IEEE Transactions on Knowledge and Data Engineering, 1998 - doi.ieeecs.org

... rule sets are often derived from an initial **condition**-action structure [15], general **event-condition-action** rules cannot ... The **Condition** is a **predicate** on the ...

Cited by 52 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Active Rule Termination Analysis: An Implementation and Evaluation of the Refined Triggering Graph ... - group of 6 »](#)

SD Urban, MK Tschudi, SW Dietrich, AP Karadimce - Journal of Intelligent Information Systems, 1999 - Springer

... rules in CDOL follow the **event-condition-action** paradigm as ... for triggering formulae expressed as CDOL **conditions**. ... be represented as a **predicate** consisting of a ...

Cited by 6 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[An Event-and Repository-based Component Framework for Workflow System](#)

Architecture - group of 2 »

D Tombros - 1999 - ifi.unizh.ch

... It provides an **integration** platform for ... organizational information exchange can be facilitated and information consistency regarding **business** transactions can ...

[Cited by 10](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Simulation modeling within workflow technology - group of 6 »

JA Miller, AP Sheth, KJ Kochut, X Wang, A Murugan - Proceedings of the 27th conference on Winter simulation, 1995 - portal.acm.org

... provide valuable feedback to the **business** process model ... Each **predicate** is either a task-state ... community, this represents an **Event-Condition-Action** (ECA) rule ...

[Cited by 29](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[PS] A WORKFLOW MANAGEMENT AND SIMULATION SYSTEM AND ITS SUPPORTING OBJECT-ORIENTED KNOWLEDGE BASE ... - group of 5 »

MK JAGANNATH - 1997 - cis.ufl.edu

... **business** processes ... Therefore, there is a need for the **integration** of workow tech ... workow

processes and use **event-condition-action**-alternative-action rules to spec ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

A formal semantics for an active functional DBPL - group of 6 »

A Poulouvassilis, S Reddi, C Small - Journal of Intelligent Information Systems, 1996 - Springer

... Active databases support **Event-Condition-Action** (ECA) rules which respond ... by executing actions if **conditions** are satisfied ... A filter is a **predicate** which must ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [Next](#)

"event condition action" and "conditi

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"event condition action" and "condition" and "p" - 1999

Search

Ad
Sc
Sc

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results **31 - 40** of about **68** for **"event condition action" and "conditio**

All Results

[B Grosz](#)

[C Zaniolo](#)

[Y Labrou](#)

[D Wodtke](#)

[D Kinny](#)

[Query by class, rule, and concept - group of 6 »](#)

M Staudt, HW Nissen, MA Jeusfeld - Applied Intelligence, 1994 - Springer

... Moreover, the **integration** of methods in OODB suggests ... the treatment of terms as **predicate** arguments and ... the rule body must obey the stratification **condition**. ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[The design of a constraint/rule language for an object-oriented data model - group of 4 »](#)

SD Urban, AM Wang - The Journal of Systems & Software, 1995 - Elsevier

... of data base systems has expanded beyond traditional, **business**-oriented applications ... is a lan- guage for the expression of **event-condition-action** (ECA) rules ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[Active database systems - group of 12 »](#)

NW Paton, O Diaz - ACM Computing Surveys (CSUR), 1999 - portal.acm.org

... not yielded a single agreed-upon standard approach to the **integration** of active ... components described; such a rule is known as an **event-condition-action** or ECA ...

[Cited by 194](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Towards an infrastructure for temporal databases: report of an invitational ARPA/NSF workshop - group of 5 »](#)

N Pissinou, RT Snodgrass, R Elmasri, IS Mumick, T ... - ACM SIGMOD Record, 1994 - portal.acm.org

... Most applica- tions, whether **business**, engineering, medical, or scientific ... with es- ist,ing tools is of primary importance and runs deeper than **SQL-integration**. ...

[Cited by 33](#) - [Related Articles](#) - [Web Search](#)

[\[PS\] A survey of database support for processcentered software development environments - group of 4 »](#)

D Tombros, A Geppert - 1995 - historical.ncstrl.org

... driven by so-called temporal **event-condition-action** (TECA) rules ... event-action associations with **conditions** defined as ... The event is a **predicate** over the past or ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[book\] Database and Expert Systems Applications: 9th International Conference, DEXA'98, Vienna, Austria, ...](#)

G Quirchmayr, E Schweighofer - 1998 - books.google.com

... spanning several transactions and even several applications, smooth **integration** of ... knowledge stored in terms of triggers, ie, **Event/Condition/Action** rules (ECA ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[Customizing transaction models and mechanisms in a programmable environment supporting reliable ... - group of 10 »](#)

D Georgakopoulos, MF Hornick, F Manola - IEEE Transactions on Knowledge and Data

Engineering, 1996 - doi.ieeecomputersociety.org
... often perform enterprise-wide **business** processes, workflow ... Strong state dependencies
express **conditions** of the ... The **predicate** o x .conflict_table associates ...
[Cited by 57](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[PS] [Workflow, transactions, and datalog - group of 7 »](#)

AJ Bonner - ACM Symposium on Principles of Database Systems, ..., 1999 - cs.toronto.edu
... The result is that **business** process management cannot be ... This **integration** of
process
modeling and database ... of Petri net known as **predicate**/transition nets [64 ...
[Cited by 36](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

AN APPROACH TO THE DEVELOPMENT OF HYBRID OBJECT-ORIENTED DESIGN TOOL

AA Sitiol, SP Lee - Malaysian Journal of Computer Science, 1999 - mjcs.fsktm.um.edu.my
... is a name – a **predicate** – followed by ... source state, destination state, [**event**],
[**condition**], [**action**], [operation ... for the Conceptual Design of **Business** Rules ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[A conceptual framework for agent oriented and role based workflow modeling](#)
- group of 3 »

L Yu, BF Schmid - Proceedings of the 1st International Workshop on Agent- ..., 1999 -
alexandria.unisg.ch
... be mapped into **Event-Condition-Action** (ECA) rules ... have a clear distinction between
events and **conditions**. ... potential-reviewer :language **predicate**-logic :ontology ...
[Cited by 45](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google